

 OPEN-DECK
COMMERCIAL

MECHANICAL-HYDRAULIC
**DETACHABLE
GOOSENECK**
TRAILER



TKMG-HG



TRAIL KING

DEPENDABLE PERFORMANCE. EVERY HAUL. EVERY DAY.

TRAIL KING
COMMERCIAL MG-HG
DETACHABLE GOOSENECK



3-Position Stirrups

The three position stirrups (on mechanical goosenecks only) can easily accommodate a variety of desired 5th wheel heights and deck heights.

STANDARD FEATURES



Wheel Area with Mini-Boom Trough

Deeper mini-boom trough provides clearance for equipment with hitches. In addition to providing a convenient step for the operator, the removable plates provide easy access to axles. Traction aids and D-rings in transition area are standard.



Storage Area/Full Width Crossmembers

The main frame features steel crossmembers on 12" centers: 8" full-width alternating with 4" stub crossmembers in the outer bays. (Also available: aluminum I-beam or box beam cross members.) Removable decking in front 6' of center bay reveals storage area for outriggers, etc.



Multi-Position Gooseneck Adjustment Doors

The multi-position gooseneck door adjustment allows for a full range of king pin height settings. The notched control bar for the handle takes the guesswork out of setting the gooseneck doors in the desired position.



New Wheel Area Tail Channel

The wheel area is standard with steel outer rails, crossmembers, and tail channel, as well as dock bumpers, and flip axle reinforcements. (Exception: flip axle reinforcement is an add-on option on the TK70MG-HG model.)



Air Ride Suspension Controls

The air control panel is housed in an aluminum control box conveniently located between the axles on the driver's side of the trailer. No more having to climb up on the trailer or reach over a flip axle to get to the controls.



Extended Tapered Front Approach

The front approach ramps, featuring heavy duty 3/4" full-width traction aids, have been extended forward to lower the front edge of the ramp to only 4". Ramp pullouts can be added by simply removing the aluminum side panels.

RUGGED, DEPENDABLE,

LOW-MAINTENANCE PERFORMANCE.



Gooseneck Storage Area with Chain Rack

The mechanical gooseneck comes with a storage area and chain rack. The back wall of the storage area also serves to cover the front center section of the gooseneck. Available options include a removable aluminum door (inset) and two storage area lights with switch.



Quick Coupler and Bulkhead Adaptors

Quick coupler air lines on the MG (hydraulic lines on HG) are attached to adaptors on the bulkhead of the deck. Electrical line features a replaceable jumper cable between the neck and the deck. Replacing damaged lines is easy and convenient.



V-Shaped Alignment Guide

The V-shaped guide directs the gooseneck into position during hook-up, making it a quick, easy one-person operation. A horizontal safety pin locks the main pin in place so it cannot accidentally disconnect.



D-Rings, Tie Downs and Outrigger Brackets

The MG-HG includes thirteen pair of various kinds of D-rings (straight, bent-style, recessed, and pan-style), top flange keyhole slots for 1/2" chains on 24" centers, and swing-out brackets on 24" centers for mounting (optional) full-depth outriggers.



Roller Assembly and Remote Access Panel


Removable roller pin makes roller maintenance and replacement easier. Optional retractable gooseneck pins makes the switch to a flip neck possible without removing rollers. Access panel is removable for easy maintenance of hydraulic, air and electrical lines.

POPULAR OPTIONS:



OPTIONAL Aluminum Packages

Various "aluminum packages" are available for the gooseneck (full width only), main deck, and wheel area, including such things as aluminum I-beam or box beam cross members, outer rails, decking, and front and rear channels.



OPTIONAL Aluminum Pull-Out Outriggers

Aluminum pull-outs include full-width aluminum box beam cross members on 16' centers. The pull-outs, when fully extended, provide an overall trailer width of 13 feet.



OPTIONAL Self-Contained Unit

Add a self-contained unit for dual hydraulic controls (PTO and SCU) to operate all hydraulic functions of the trailer (HG models only)...no matter how your truck is plumbed.



OPTIONAL Flip Neck Extensions

Gooseneck flip extensions allow for more precise weight distribution to the truck axles, greater swing clearance, and shorter trailer length for back haul.



OPTIONAL Additional Axles

Configure your MG-HG to suit your particular hauling needs, with the addition of a flip axle or third fixed axle.



TKMG-HG STANDARD EQUIPMENT	70MG	80MG	90MG	102MG
Capacity (concentrated in 16')	60,000 lbs	70,000 lbs	80,000 lbs	90,000 lbs
Full width mechanical gooseneck (14" KP / 82" SC)	9'10"	9'10"	10'2"	10'2"
Usable deck length	29'	29'	28'8"	28'8"
Reinforced for flip axle	No	Yes	Yes	Yes

ADDITIONAL STANDARD EQUIPMENT

See your local dealer for full list of available options.

- 4-beam main frame construction
- Steel cross members 12" OC full width in main frame;
- 8" I-beam alternating with 4" I-beam cross members; keyhole slots 24" OC
- Tapered front approach (down to 4" at front)
- 3/4" Traction aids on front approach and wheel area transition
- Swing-out brackets and storage area with loose decking over top of storage area in center bay
- 8 pair bent D-Rings on main frame
- 1 3/8" Apitong decking main deck (raised)
- Steel wheel area, includes steel outer rails, cross members and tail channel
- 1 pair straight D-Rings on wheel area transition
- 1 pair straight pan style D-Rings on front wheel area corners
- 1 pair straight recessed D-Rings on rear wheel area corners
- 1 1/8" Apitong decking wheel area (Flush)
- Mini boom trough in wheel area
- Dock bumpers at rear of wheel area
- Triangle cut-outs on beams
- Mud flaps
- Flag holder tubes front and rear of trailer
- Wide load sign brackets
- Air ride suspension w/adjustable ride height
- Raising and lowering for air ride
- Liquid-filled air gauge
- 54.5" Axle spacing
- 25,000-lb. (5/8" wall) axles
- 16 1/2" x 7" Air brakes with automatic slack adjusters
- 4S2M anti-lock brakes
- Steel hub-piloted - cast drum
- 8.25 x 22.5 10-hole steel disc wheel
- 255/70R22.5 - HT 16-ply (tire only) (per tire)
- One-piece oil seals
- Electrical system per DOT regulations
- Rubber mounted sealed lights and harness system
- LED light package (50-state legal)
 - 1 pair on side of gooseneck
 - 1 pair on front of gooseneck (full width only)
 - 5 pair on main deck O-X-O-X-O
 - 1 pair on wheel area
- Air and electrical installed after paint
- Red & white conspicuity markings
- Blasted prior to paint
- Color: Trail King 2-Part Epoxy Primer and Urethane Top Coat Paint

Products shown may feature optional equipment. Available specifications are subject to change without notice.

MORE STANDARD FEATURES ...MORE VERSATILITY.



Full-Width Mechanical Gooseneck
(STANDARD)



OPTIONAL
Narrow Mechanical Gooseneck



OPTIONAL
Full-Width Hydraulic Gooseneck
(Shown with optional flip neck)



OPTIONAL
Narrow Hydraulic Gooseneck

Trail King's Commercial MG-HG Detachable Gooseneck trailer comes loaded with the most standard equipment of any trailer of its kind on the market...as well as a variety of options, including lightweight, corrosion-resistant aluminum features.

Best of all, these trailers are engineered to accommodate four interchangeable goosenecks styles for the ultimate in hauling versatility.

The Trail King Commercial MG-HG...destined to be the best detachable lowboy you'll ever own.

Find your nearest rep: www.TrailKing.com/find-a-rep

PROTECT YOUR INVESTMENT COMPREHENSIVE SUPPORT UNMATCHED SERVICE



From financing a trailer, to a complete refurbishment at our Factory Service Center, Trail King is there to keep your team hauling, day in and day out. Our trusted network of dealers and certified experts are ready to assist you.

△ PARTS

KEEP YOUR TEAM HAULING. Instantly access over 10,000 on-hand parts and a variety of online tools. All Trail King Certified dealers, fleets, and service facilities can place same-day shipping orders for convenient and efficient ordering. Customers looking for more information can contact a local Trail King dealer or submit direct inquiries to parts@trailingking.com.

△ REFURB

PROTECT YOUR INVESTMENT. Extend the life of your trailer and increase future resale value by restoring it through Trail King's factory refurbishment program. Customers can request a free estimate for comprehensive refurbishments or specified repairs by visiting trailingking.com/refurb-service. Our expert technicians specialize in Trail King equipment, but we also welcome other trailer brands.

△ FINANCE

100% EQUIPMENT FINANCING! Competitive rates and flexible terms are designed to make a Trail King purchase affordable, convenient, and secure. Trail King's innovative payment program operates with an understanding of the changing demands businesses face. Our full suite of financing structures, including Loans, Finance Leases, and TRAC Leases, makes it easier than ever before to own a Trail King trailer.

TRAIL KING IS BUILDING SUCCESS.

Trail King Industries, Inc., headquartered in Mitchell, SD, is the leading manufacturer of open deck and materials hauling trailers for the asphalt paving, construction, commercial hauling, agriculture, and specialized transport industries.

Over the years, Trail King has always kept one thing a top priority, our customers' success. Our trailers are customized for unique challenges and together we can create a solution that is just right for your team.

We don't just build trailers. We design hauling solutions.



trailingking.com / TKMG-HG

300 East Norway Ave. Mitchell, SD 57301 | 800-843-3324 | trailingking.com

© 2020 Trail King Industries. All rights reserved.